



15 East Avenue Athens, TN
(800) 521-2855

bullbbq.com

24 Inch Bar Center

Assembly Guide

SKU# 80000



Electrical Assembly

The switch located on the front of your new bar center operates an LED strip attached to the top shelf.




Since the upper frame and top shelf do not come assembled, you will need to make the electrical connections after installation of the upper frame as shown on the next page in order to use this light.

The upper frame comes with pre-installed wiring for the LED strip.

IMPORTANT: When installing the upper frame, take care not to pinch this pre-installed wiring. Carefully route it through the rearmost hole as shown to the right.

At the end of the wiring is a black electrical connector. This connector mates with an identical connector located inside the bar center base as shown below in Detail A.

Once connected and once the bar center is plugged in to an electrical source, your light will now be ready to use!






Base Assembly

Your bar center comes mostly assembled from the factory. You will only need to attach the upper frame, towel holder, and drink tray.

- To connect the upper frame, simply place the frame on top of the base, taking care to align the four holes on the frame legs to the base as shown below. Use the four provided M8x40mm screws to secure the frame.

TIP: Use a 5mm hex key or driver bit for these screws.



- The drink tray simply hangs from two provided studs on the front.
- To attach the towel holder to the base, use the four provided M5x12mm screws.

TIP: Use a 3mm hex key or driver bit for these screws.

